

***Cantharis rufifrons* (Marseul, 1864) bona species  
(Coleoptera: Cantharidae)**

Fabrizio FANTI

Via del Tamburino 69, I-53040 Piazze (SI), Italy  
e-mail: fantifab@alice.it

**Taxonomy, nomenclatural acts, Coleoptera, Cantharidae, *Cantharis fuscipennis*, *Cantharis rufifrons*, Palaearctic Region**

**Abstract.** After an assiduous, but vain research of the holotype of *Cantharis fuscipennis* (Mulsant, 1862), in the present note, I discuss the valid name to be given to the Sicilian population known by that name, which was found to be *Cantharis rufifrons* (Marseul, 1864). The nomenclatural acts here proposed are: *Cantharis rufifrons* (Marseul, 1864) bona species, *Telephorus fuscipennis* Marseul, 1864 = *Cantharis rufifrons* (Marseul, 1864) syn. nov., *Telephorus fuscipennis* Mulsant, 1862 nomen dubium, *Cantharis fuscipennis* var. *neptunius* Baudi in Ragusa, 1893 = *Cantharis rufifrons* (Marseul, 1864) syn. rest., *Cantharis fuscipennis* v. *rufifrons* a. *ambigua* Fiori, 1914 = *Cantharis rufifrons* (Marseul, 1864) syn. rest. Other names appear only as nomina nuda: *Cantharis fuscipennis* Dejean, 1821 (already mentioned as *nomen nudum* in Sherborn 1922-32), *Cantharis fuscipennis* Dejean, 1833, *Cantharis fuscipennis* Dejean, 1836, *Cantharis fuscipennis* Herrich-Schäffer, 1840, *Cantharis fuscipennis* Ghiliani, 1842, *Cantharis fuscipennis* Berge, 1847, *Telephorus fuscipennis* Gaubil, 1849, and *Telephorus fuscipennis* Gistel, 1856.

## INTRODUCTION

*Cantharis fuscipennis* “Dalmatia”, is cited as *nomen nudum* in Dejean (1821: page 36; 1833: page 105; 1836: page 118), in Herrich-Schäffer (1840: 13 “*Cantharis fuscipennis* D.”), in Berge (1847: 133 “*Cantharis fuscipennis* Dej.”), and Gaubil (1849: 115 “*Telephorus fuscipennis* Dejean Cat., species in Gaubil collection”); given resumed later by Gistel (1856: 177-178), which also informs us coming from the Peninsula “Haemi” (Balkan) - Thracian Mountains and, in particular, from Dalmatia - western border of the Dinaric Alps but with the exception of Serbia and Bosnia. The species was probably caught by Dejean himself (1821: iv) around 1817, and was subsequently formally described, referring to *Cantharis rustica* Fallén, 1807, by Mulsant (1862: 187, reprint: 243), on a female specimen of Dalmatia from the Reiche collection. This specimen (the Holotype) can no longer be traced in any way, since the Mulsant collection has been badly preserved during the years, and it has been completely destroyed (R. Constantin personal communication), while the Reiche collection is divided between Geneva (arrived *via* Melly collection), where the species in question is not present (G. Cuccodoro personal communication), and Paris (the specimens of Reiche are now in the Bourgeois collection, Malacodermata section) where there are 5 specimens (Figs. 1-3) of *Cantharis fuscipennis* but all of them coming from Sicily (A. Taghavian-Azari personal communication) and therefore, I obviously did not examine the holotype described by Mulsant.

*Cantharis fuscipennis* Dejean was finally cited of Sicily: plain of Catania, by Ghiliani (1842: 32), and subsequently redescribed by Marseul (1864: 25-26, 15 in the key) where in the same work, but some lines first (Marseul 1864: 25, 14 in the key), describes always from Sicily, also *Telephorus rufifrons* (= *Cantharis rufifrons*), the latter posteriorly considered a synonym-variety of *C. fuscipennis* (e.g. Ragusa 1873: 236; Bertolini 1872-1878: 130; Stein & Weise 1877: 99; Heyden et al. 1883: 113, 1891: 214, 1906: 288; Fiori 1914: 1-5; Hicker 1925: 499, Luigioni 1929: 604; Porta 1929: 51-52; Delkeskamp 1939: 61, 1977: 81; Moscardini 1968: 68-69; Kazantsev & Brancucci 2007: 242).

Therefore, since the two names *C. fuscipennis* of Dalmatia and Sicily refer to two separate taxa, the error of which was made for the wrong determination due to the similar coloration, we have the problem of the valid name to attribute to the Sicilian population (ICZN 1999 Article 49.), the discussion of which is the subject of this note.

## MATERIALS AND METHODS

For the original labels of the Bourgeois collection, only the basic and non-integral data are listed here. The other specimens (some without black spots in the pronotum referring to “variety” *fuscipennis*), shown below, are stored in Fabrizio Fanti’s collection at Piazze (SI). In brackets I enter the data of difficult interpretation, and still refer to the photo (Fig. 5).

## RESULTS

### *Cantharis fuscipennis* (Mulsant, 1862) (Figs. 1-5)

**Coll. Bourgeois:** (pics MNHN Paris, A. Taghavian-Azari)

5 exx. with specific identification label “T. fuscipennis//Muls.”: of which two specimens labelled “Telephorus//fuscipennis .Muls./Mollip. 187//Sicilia” with 4 additional cards “nigripes//[?icher]//Sicilia//Mannerh.” “Sicilia.” “Ménetr.” “♂.” and the other three from: “Sicile”, “Sicilia”, and collected by “E. Ragusa” from “Monte Madonie” made in 18“74”.

### *Cantharis rufifrons* (Marseul, 1864) (Figs. 1, 6-8)

**Coll. Bourgeois:** (pics MNHN Paris, A. Taghavian-Azari)

2 exx.\* with specific identification labels “T. rufifrons//Mars.” and “Cantharis//rufifrons??//Mars.”: of which one from the collections of “E. Ragusa” “M. R. Belg.” from “Castelbuono 5 et 6.73”, and one from “Sicilia”.

\*The sample labelled Sicily, which has not been extracted, given its small size, is most likely to refer to *Cantharis praecox* Gené, 1836.

**Other specimens:** 1 ♂, 3 ♀♀, Cesarò - Bivio Bronte (ME), 1.v.2014, 731 m, Altadonna leg.; 9 exx., Madonie - Carbonara (PA), 22.v.2015, Muscarella leg.; 1 ex., Nebrodi - Capizzi



Fig. 1. Overview of specimens of *Cantharis fuscipennis* (Mulsant) and *C. rufifrons* (Marseul) of the Bourgeois collection.




Fig. 5. Original label of a *Cantharis fuscipennis* specimen of the Bourgeois collection.



Fig. 2. Dorsal view of a *Cantharis fuscipennis* specimen (♂) of the Bourgeois collection.

Fig. 3. Ventral view of a *Cantharis fuscipennis* specimen (♂) of the Bourgeois collection.

Fig. 4. Detail of the head and pronotum of a specimen of *Cantharis fuscipennis* of the Bourgeois collection.



Fig. 6-8: 6- Dorsal view of a specimen of *Cantharis rufifrons* of the Bourgeois collection. 7- Ventral view of a specimen of *Cantharis rufifrons* of the Bourgeois collection. 8- Original label of a *Cantharis rufifrons* of the Bourgeois collection.

(ME), 1.v.2014, 750 m, Altadonna leg.; 1 ex., Ficuzza - Valle Arcera (PA), 12.v.2015, Muscarella leg.

## DISCUSSION

Gemminger & Harold (1869: 1665 and 1671) consider the two species still separate (*fuscipennis* and *rufifrons*), then considered synonymous by Ragusa (1873: 236) and Bertolini (1872-1878: 130). Subsequently Baudi in Ragusa (1893: 38) describes the variety *neptunius* and Fiori (1914: 4-5) the aberration *ambigua*. Given the loss of the Holotype, it is not possible to find out with certainty what kind of Mulsant specimen could be reported. Bourgeois (1884-1892: 111) and Ragusa (1893: 37) inform us that with the name *fuscipennis* in the ancient collections, was indicated for mistake, the form *immaculicollis* of *C. fusca* Linnaeus, 1758 (see also Romano 1849). Moreover, Baudi (1872: 101) synonymized *C. fuscipennis* Dej. of Dalmatia, saying it different from *fuscipennis* of Mulsant, with the *Cantharis pellucida* ("*Thel. pellucidus* Fabr."), a nomenclatural act apparently remained unknown in subsequent works and catalogues. Company (1863: 658 "*Cantharis fuscipennis*, Dej *Dalmatia*") quotes even for the Department of the Pyrenees Orientales in France, while personally I have also seen determined as *fuscipennis* Mulsant some specimens of *Cantharis livida* Linnaeus, 1758.

Since *C. fuscipennis* Mulsant is no longer traceable and that the Sicily's population known as "*fuscipennis*" is clearly another species, well-characterized by aedeagus and endemic to the island, and which in all the Italian Peninsula is also vicariated by the similar *Cantharis paganettii* (Flach, 1907) with which it has also been confused in the years (see Fanti 2014: 66 and 68-69), I propose to consider as a valid name (as already suggested in Fanti 2014: 66) of the Sicilian population itself, *Cantharis rufifrons* (Marseul, 1864), which is the first available name in the literature.

I did not look for the type of *Cantharis rufifrons* Marseul (probably still in the Fairmaire collection at Paris) but over the years the synonymy between the two species (*fuscipennis* and *rufifrons*) has never been questioned and in Sicily *Cantharis rufifrons* cannot be confused with other species, with the exception of *Cantharis praecox* Gené, which is, however, of considerably smaller dimensions and has longer antennae and especially differently shaped in antennomers II, III and IV. These characters, which are all clearly expressed in the original descriptions that Marseul provides of *C. rufifrons* (Marseul 1864: 25) and *C. praecox* (Marseul 1864: 51).

## NOMENCLATURAL ACTS

*Cantharis rufifrons* (Marseul, 1864) **bona sp.**

*Telephorus rufifrons* Marseul, 1864: 25, 14 (in the key). Locus typicus: "Sicile" (Fairmaire).

= *Telephorus fuscipennis* Marseul, 1864: 25-26, 15 (key) *nec* Mulsant, 1862: 187 (243 reprint) **syn. nov.**

[we can regard it as a variety, with head and pronotum red]

= *Cantharis fuscipennis* var. nov. *neptunius* Baudi in Ragusa, 1893: 38 [synonymous in Fiori 1914: 3-4]. **syn. rest.**

[variety with black head behind the eyes and pronotum with two longitudinal black lines.

Identical to *rufifrons*]

= *Cantharis fuscipennis* v. *rufifrons* a. *ambigua* Fiori, 1914: 4-5 **syn. rest.**

[pronotum without black spots. Identical to *fuscipennis*]

*Telephorus fuscipennis* Mulsant, 1862: 187 (243 reprint) **nomen dubium**

*Cantharis pellucida* Fabricius, 1792

= *Cantharis fuscipennis* Baudi, 1872: 101 [nomenclatural act remained unknown]

[is the “species” of Dejean, described (is however homonym of *fuscipennis* Mulsant, 1862) and synonymized by Baudi himself, that write to be different to *fuscipennis* Mulsant]

*Cantharis fuscipennis* Dejean, 1821: 36 *nomen nudum* (cited as *n. n.* by Sherborn 1922-32: 2590)

*Cantharis fuscipennis* Dejean, 1833: 105 *nomen nudum*

*Cantharis fuscipennis* Dejean, 1836: 118 *nomen nudum*

*Cantharis fuscipennis* Herrich-Schäffer, 1840: 13 *nomen nudum*

*Cantharis fuscipennis* Ghiliani, 1842: 32 *nomen nudum*

*Cantharis fuscipennis* Berge, 1847: 133 *nomen nudum*

*Telephorus fuscipennis* Gaubil, 1849: 115 *nomen nudum*

*Telephorus fuscipennis* Gistel, 1856: 178 *nomen nudum*

ACKNOWLEDGEMENTS. My greatest thanks goes to: Gianfranco Liberti (Uboldo, Italy), Roberto Antonio Pantaleoni (University of Sassari, Italy) and Simona Spaziani (Frosinone, Italy) for their precious help; I also thank: Robert Constantin (Saint-Lô, France) for information on Mulsant and Reiche collections, and Giulio Cuccodoro (MHN of Geneva, Switzerland) and Azadeh Taghavian-Azari (MNHN of Paris, France) for basic information or photos on collections stored in their respective Museums. Giovanni Altadonna (Messina, Italy) and Calogero Muscarella (Palermo, Italy) have kindly provided material for the study.

## REFERENCES

- BAUDI F. 1872: Europeae et circummediterraneae Faunae Dascillidum et Malacodermatum specierum, quae Comes Dejean in suo Catalogo ed. 3<sup>a</sup> consignavit, ex ejusdem collectione in R. Taurinensi Musaeo asservata, cum auctorum hodierne recepta denominatione, collatio. *Berliner Entomologische Zeitschrift* [1871] 15: 89-130.
- BERGE K. F. W. 1847: *Taschenbuch für Käfer- und Schmetterlings-Sammler, oder praktische Anweisung, Käfer und Schmetterlinge zu sammeln, zu erziehen, zuzubereiten und aufzubewahren. Nebst einer namentlichen Aufzählung der europäischen Gattungen in systematischer Ordnung. Mit instruktiven Abbildungen der Fanginstrumente und sonstiger Geräthschaften.* Stuttgart: Hoffmann, ix + 360 pp. + 2 pls.
- BERTOLINI S. de 1872-1878: Catalogo sinonimico e topografico dei Coleotteri d’Italia. *Tipografia Cenniniana*, Firenze, 263 pp. [cfr. Malacodermata: pp. 128-137 (1874) e 246 (1878)].
- BOURGEOIS J. 1884-1892: Cébrionides, Dascillides, Malacodermes, (pp. 1-208). In: FAUVEL C. A. A. (ed.): *Faune Gallo-Rhénane. Species des Insectes qui habitent la France, la Belgique, la Hollande, le Luxembourg, la Prusse Rhénane, le Nassau et le Valais. Tome IV [1884-1894], Coléoptères.* Caen: F. Le Blanc-Hardel, 208 pp.
- COMPANYO L. 1863: *Histoire Naturelle du département des Pyrénées-Orientales. Tome Troisième.* Perpignan: Imprimerie de J.-B. Alzine, 942 pp.
- DEJEAN P. F. M. A. 1821: *Catalogue de la collection de Coléoptères de M. le Baron Dejean.* Paris: Crevot Libraire, viii + 138 + [2] pp.

- DEJEAN P. F. M. A. 1833: *Catalogue des Coléoptères de la collection de M. le Comte Dejean. Deuxième édition [Livraisons 1-2]*. Paris: Méquignon-Marvis Père et Fils, 1-176.
- DEJEAN P. F. M. A. 1836: *Catalogue des coléoptères de la collection de M. le Comte Dejean. Troisième édition, revue, corrigée et augmentée [Livraisons 1-4]*. Paris: Méquignon-Marvis Père et Fils, 1-384.
- DELKESKAMP K. 1939: Pars 165: Cantharidae. In: JUNK W. & SCHENKLING S. (eds): *Coleopterorum Catalogus*. Gravenhage: Dr. W. Junk Verlag für Naturwissenschaften, 357 pp.
- DELKESKAMP K. 1977: *Pars 165 (I): Cantharidae - Coleopterorum Catalogus Supplementa*. The Hague: Edita a J. a. Wilcox, dr. W. Junk bv. Publishers, 485 pp.
- FANTI F. 2014: Catalogo critico delle Cantharidae d'Italia (Insecta, Coleoptera). *Memorie della Società Entomologica Italiana* 91(1-2): 61-132.
- FIORI A. 1914: Le *Cantharis* di Sicilia confrontate con quelle di altri paesi. *Rivista Coleotterologica Italiana* 12(1): 1-18.
- GAUBIL J. 1849: *Catalogue synonymique des Coléoptères d'Europe et d'Algérie*. Paris: Maison Libraire, 296 +1 pp.
- GEMMINGER M. & HAROLD E. F. von 1869: *Catalogus Coleopterorum hucusque descriptorum synonymicus et systematicus. Tome VI. Rhipidoceridae, Dascillidae, Malacoderidae, Cleridae, Lymexylonidae, Cupesidae, Ptinidae, Bostrichidae, Cioidae*. Monachii: Sumptu E. H. Gummi, 1869. [cfr. pp. 1626-1684].
- GHILIANI V. 1842: Insetti di Sicilia determinati dal Sig. F. Ghiliani nel suo viaggio in questa isola anno 1839. *Catalogus Insectorum Siciliae. Atti dell'Accademia Gioenia di Scienze Naturali di Catania* 19: 19-48.
- GISTEL J. N. F. X. 1856: *Die Mysterien der europäischen Insectenwelt. Ein geheimer Schlüssel für Sammler aller Insecten-Ordnungen und Stände, behufs des Fangs, des Aufenthalts-Orts, der Wohnung, Tag- und Jahreszeit u. s. w., oder autoptische Darstellung des Insectenstaats in seinem Zusammenhange zum Bestehen des Naturhaushaltes überhaupt und insbesondere in seinem Einflusse auf die phanerogamische und cryptogamische Pflanzenbevölkerung Europa's. Zum ersten Male nach fünfundzwanzigjährigen eigenen Erfahrungen zusammengestellt und herausgegeben*. Kempten: Tobias Dannheimer, xii + 530 + [2] pp.
- HERRICH-SCHÄFFER G. A. W. 1840: *Nomenclator entomologicus. Verzeichniss der europäischen Insecten; zur Erleichterung des Tauschverkehrs mit Preisen versehen. Zweites Heft. Coleoptera, Orthoptera, Dermatoptera und Hymenoptera. Mit 8 lithographirten Tafeln*. Regensburg: Friedrich Pustet, viii + 40 [Coleoptera] + 244 pp. + 8 pls.
- HEYDEN L. VON, REITTER E. & WEISE J. 1883: *Catalogus Coleopterorum Europae et Caucasi. Editio Tertia*. Berlin, Edidit Berolini, 1883, 228 pp.
- HEYDEN L. VON, REITTER E. & WEISE J. 1891: *Catalogus Coleopterorum Europae, Caucasi et Armeniae rossicae*. Caen: Edidit Edmund Reitter, Revue d'Entomologie, 420 pp.
- HEYDEN L. VON, REITTER E. & WEISE J. 1906: *Catalogus Coleopterorum Europae, Caucasi et Armeniae Rossicae. Editio secunda*. Caen: Edidit Edmund Reitter, Revue d'Entomologie, 775 pp.
- HICKER R. 1925: Pars 5. Diversicornia. Malacodermata (pp. 487-578) [497-624]. In: WINKLER A. 1924-32: *Catalogus Coleopterorum regionis palaearcticae*. Wien: Editus ab A. Winkler, 1698 pp.
- ICZN (International Commission on Zoological Nomenclature) 1999: *International Code of Zoological Nomenclature, Fourth Edition*. London: The International Trust for Zoological Nomenclature c/o The Natural History Museum, 306 pp.
- KAZANTZEV S. V. & BRANCUCCI M. 2007: Cantharidae, pp. 234–298. In: LÖBL I. & SMETANA A. (eds.): *Catalogue of Palaearctic Coleoptera. Vol. 4, Elateroidea- Derontoidea- Bostrichoidea- Lymexyloidea- Cleroidea- Cucujooidea*. Stenstrup: Apollo Books, 935 pp.
- LUIGIONI P. 1929: I Coleotteri d'Italia. Catalogo sinonimico-topografico-bibliografico. *Memorie Pontificia Accademia delle Scienze Nuovi Lincei (Serie II)* 13: 1-1159 [+1].
- MARSEUL S. A. de 1864: Téphorides, tribu de la famille des Malacodermes. *L'Abeille, Mémoires d'Entomologie* 1: 1-112 (1-108 + 4).
- MOSCARDINI C. 1968: Ricerche sulla fauna appenninica XCVIII. I coleotteri cantaridini della regione appenninica (Coleoptera-Cantharidae). *Memorie del Museo Civico di Storia Naturale di Verona* 16: 49-96.
- MULSANT É. 1862: *Mollipennes. Histoire naturelle des Coléoptères de France*. Paris: Magnin, Blanchard & Cie., 4 + 440 pp. + 3 tavv. [16 May 1862 (date of dedication); 1862 (title page); 13 June 1863 (Bibliogr. France 1863) / reissued in: *Annales de la Société Linnéenne de Lyon* (N. S.) 9: 57-496, Feb 1863 (title page); 15 agosto 1863 (Bibliogr. France 1863)].
- PORTA A. 1929: *Fauna Coleopterorum Italica. Vol III: Diversicornia*. Piacenza: Stabilimento Tipografico Piacentino, 466 pp.

- RAGUSA E. 1873: Note sinonimiche. *Bullettino della Società Entomologica Italiana* 5: 235-236.
- RAGUSA E. 1893: Catalogo ragionato dei Coleotteri di Sicilia (Cont. ved. N. prec.). *Il Naturalista Siciliano* [1893-1894]: 13(3) 37-47.
- ROMANO B. 1849: *Coleotteri della Sicilia raccolti e posseduti da Baldassare Romano*. Palermo: Tipografia Francesco Lao, 28 pp.
- SHERBON C. D. 1922-32: *Index animalium sive index nominum quae ab A.D. MDCCCLVIII generibus et speciebus animalium imposita sunt. Sectio secunda. A Kalendis Ianuariis, MDCCCI usque ad finem Decembris, MDCCCL*. London: Longmans, Green & Co. & British Museum (Natural History), cxxxii + 756 pp.
- STEIN J. P. E. F. & WEISE J. 1877: *Catalogi Coleopterorum Europae. Editio Secunda*. Berolini Libraria Nicolai, 212 pp.

*Received: 6.11.2017*

*Accepted: 10.12.2017*

*Printed: 31.3.2018*

