

SHORT FAUNISTIC NOTES - NEW RECORDS

New faunistics records of Mycetophagidae (Coleoptera: Tenebrionoidea)

Jiří HÁVA

Private Entomological Laboratory & Collection,
Rýznerova 37/37, CZ-252 62 Únětice u Prahy, Prague-west, Czech Republic
e-mail: jh.dermestidae@volny.cz

Faunistics, new records, corrections, Coleoptera, Mycetophagidae, world

Abstract. The following species are recorded: *Berginus tamarisci* Wollaston, 1854 (Albania, Indonesia: Java); *Eulagius acernus* Motschulsky, 1845 (Turkey); *Litargus (Alitargus) laosensis* Háva, 2021 (Laos); *Litargus (Litargus) connexus* (Geoffroy, 1785) (Taiwan); *Litargus (Litargus) gigas* Grouvelle, 1914 (Gabon); *Litargus (Litargosomus) exiguus* Olliff, 1883 (Indonesia: Bali I.); *Litargus (Litargosomus) latus* Grouvelle, 1900 (Thailand); *Mycetophagus (Ilendus) yunnanus* Háva, 2019 (China: Yunnan); *Mycetophagus (Mycetophagoides) alni* Champion, 1917 (India: West Bengal); *Mycetophagus (Mycetophagus) weigeli* Háva, 2020 (China: Yunnan); *Mycetophagus (Ulolendus) antennatus* (Reitter, 1879) (Myanmar, Thailand); *Mycetophagus (Ulolendus) fraternus* Grouvelle, 1911 (Nepal); *Mycetophagus (Ulolendus) hyrcanicus* Nikitsky, 1989 (Iran); *Typhaeola aethiopica* (Grouvelle, 1908) (Kenya, Tanzania); *Typhaea stercorea* (Linnaeus, 1758) (Indonesia, Iran, Laos Nepal, Pakistan, Paraguay, Philippines, Saudi Arabia, South Africa, Thailand, Vietnam).

Coleoptera: Mycetophagidae: Berginae

***Berginus tamarisci* Wollaston, 1854.** Albania, Butrint NP, salt marsh, 8.v.2016, A. Šíma lgt. et det., (ASPC); Indonesia, Java, Jakarta, yards of Sheraton hotel, 23.iv.2015, mostly at light, Shaverdo leg., 2 spec., J. Háva det. (HNMW, JHAC); Indonesia, Java, Jakarta, 28.2.1989, Jäch lgt., 1 spec., J. Háva det., (NHMW). Species known from Europe, Algeria, Egypt, Madeira Is., Morocco, Tunisia, Nigeria, Israel (Háva 2022), new to Albania and Indonesia: Java Is.

Coleoptera: Mycetophagidae: Mycetophaginae

***Eulagius acernus* Motschulsky, 1845.** „Cangal D., Anat. [Turkey], 8-16.7.61 bor., leg. F. Schubert“, 1 spec., J. Háva det., (NHMW); Turkey, Prov. Ordu, Harcbeli pass, 28.5.1989, 1900 m, 1 spec., J. Háva det. (JHAC). Species known from Armenia, Azerbaijan, Georgia, Russia (Háva 2022), new to Turkey.

***Litargus (Alitargus) laosensis* Háva, 2021.** N Laos, Prov. Lg. Nam. Tha, ca 10 km E Lg. Nam Tha, 600 m, 19.6.1996, leg. Schillhammer, 9 spec., (7 NHMW, 2 JHAC). Species known from Laos.

***Litargus (Litargosomus) exiguus* Olliff, 1883.** Indonesia, Bali Is., Bedugual reg., 1100-1300 m, Tamblingan Lakes N.P., 15-31.i.2019, local collector leg., 3 spec., J. Háva det., (JHAC). Species known from Indonesia: Borneo Is. (Háva 2022), new to Bali I.

***Litargus (Litargosomus) latus* Grouvelle, 1900.** Thailand, Tham Than Loi NP, 27.11.1990, Forster lgt., 7 spec., J. Háva det., (5 NHMW, 2 JHAC). Species known from Indonesia: Borneo Is. (Háva 2022), new to Thailand.

***Litargus (Litargus) connexus* (Geoffroy, 1785).** Taiwan, Tao-Yuan Hsien, Pa Lin, 1000 m, 22.4.1993, Lo lgt., 1 spec., J. Háva det., (JHAC). Species known from Europe, Canary Is., Egypt, Morocco, Sudan, Tunisia, China, Cyprus, Iran, Israel, Japan, Jordan, Kazakhstan, Kyrgyzstan, Mongolia, North Korea, Oman, Syria, Turkey, Uzbekistan (Háva 2022), new to Taiwan.

***Litargus (Litargus) gigas* Grouvelle, 1914.** Gabon, Ogooué Ivindo, P.N., Ivindo Station de Reserche d'Ipassa, 450 m, 0°30'43''N, 12°48'12''E, 14-26.vi.2016, Ruzzier E., Tasane T. leg., Trip Ref: GA-001 (ANHRT-19) / BMNH(E) 2016-152 / 1 spec., *Litargus gigas* E. Ruzzier det., J. Háva revid., (BMNH). Species is described from „German west Africa [= Cameroon]“ (Háva 2022), new to Gabon.

***Mycetophagus (Ilendus) yunnanus* Háva, 2019.** China, Yunnan, Heishui, 35 km N of Lijiang, 27°13'N 100°19'E, 1-19.vii.1992, E. Jendek lgt., 1 spec., J. Háva det., (NHMW). Species known from China: Yunnan prov., new locality data from Yunnan.

***Mycetophagus (Mycetophagoides) alni* Champion, 1917.** India, West Bengal, Kalimpong, 27°06'N 88°43'E, 625 m, 1-11.xii.2013, Tomkovich K. lgt., J. Háva det., (JHAC). Species known from Nepal, India: Uttar Pradesh, Uttaranchal (Háva 2022), new to India: West Bengal.

***Mycetophagus (Mycetophagus) weigeli* Háva, 2020.** CH: Yunnan/Xishuangbanna, 37 km NW Jinghong, vic. Guo Men-Shan (NNNR), 1100 m, 22°14.43N 100°36.12E, 18.vi.2019, leg. A. Weigel, KL, 13 spec., (9 NMED, 4 JHAC). Species is described from Yunnan prov.

***Mycetophagus (Ulolendus) antennatus* (Reitter, 1879).** „Tenasserim, M. Mooleyit, 1000-1900 m, Fea, Apr. 1887“, 1 spec., J. Háva det., (MCSN); N Thailand, DoiInthanon, 1200 m, Bang Khun Klang, 19-26.6.1989, Malicky leg., 1 spec., J. Háva det., (JHAC). Species known from China: Inner Mongolia, Guangxi, Japan, Mongolia, Russia, Taiwan and Vietnam (Háva 2022), new to Myanmar and Thailand.

***Mycetophagus (Ulolendus) fraternus* Grouvelle, 1911.** Nepal W, Karnali prov., Humla Distr., between Simikot, 29°57'3.01''N 81°50'32.90''E, 16.vi.2022, 2200 m, creek valley, tree fungi, D. Telnov leg., 1 ♀, J. Háva det., (JHAC). Species known from India: Sikkim and Darjeeling (Háva 2022), new to Nepal.

Mycetophagus (Ulolendus) hyrcanicus Nikitsky, 1989. Iran, Golestan prov., Gorgan distr., near Ziarat vill., 27.v.2016, D. Kasatkin lgt., 1 ♂, A. Azarov det., J. Háva revid., (JHAC). Species known from Azerbaijan, new to Iran.

Typhaeola aethiopica (Grouvelle, 1908). Tanzania, Arusha, Mt. Meru, 1800-2000 m, 6-7.4.1997, Pavel Senft lgt., 1 ♀, J. Háva det., (JHAC); Kenya, Thika (9), 7.xii.1989, M. Jäch leg., 2 spec., J. Háva det., (NHMW). Species known from Ethiopia (Háva 2022), new to Kenya and Tanzania.

Typhaea stercorea (Linnaeus, 1758). Saudi Arabia, distr. Faifa', 10 km W of Faifa', 17°15'37"N 43°04'n07'E, 660 m, 21-23.iii.2022, P. Kabátek lgt., Typhaea sp. T. Růžička det., 1 ♂, J. Háva det., (TRPC); S-Iran, 16 km E Bandar-Abbas, lichtfang (14), 264.1974, Exped. Mus. Vindob., leg. Pretzmann, 3 spec., J. Háva det., (2 NHMW, 1 JHAC); Iran, Manujan, 110 km E Bandarabbas, 2.5.1974, leg. Pretzmann, 1 spec., J. Háva det., (NHMW); Thailand, 240 km nr. Bangkok, 110 m, 25 km nw. Lan Sak, lichtfang, Jan.1989, leg. Thielen, 4 spec., J. Háva det., (3 NHMW, 1 JHAC); NW Thailand, Chom Ihong, 24-27.4.1991, Dembický lgt., 1 spec., J. Háva det., (NHMW); South Africa, Orange Free State, Graaff-Reinet, 800 m, 31.12.1993, Wewalka leg., 1 spec., J. Háva det., (NHMW); C-Laos, Prov. Viangchan, Phou Khao Khouay NP, Nam Leuk env., Tad Leuk Waterf., at light, 200 m, 1-8.6.1996, leg. Schillhammer, 4 spec., J. Háva det., (3 NHMW, 1 JHAC); E Nepal, Arun Valley, Dholikhorka-Mongmaya, 400-1250 m, 1.6.1988, leg. Lebisich & Probst, 1 spec., J. Háva det., (NHMW); Pakistan, Baluchistan, Bela, 13-14.3.1995, leg. Hauck et Cizek, 1 spec., J. Háva det., (NHMW); Paraguay, Dep. Boqueron, 24.x.1990, Col. New Land, 1 spec., J. Háva det., (MNMW); Philippinen, Mindoro, E Puerto Galera, Sabang, xi.1992, leg. Jäch, 1 spec., J. Háva det., (NHMW); N Vietnam, Hanoi at light, 20-30.iv.1991, E. Jendek lgt., 7 spec., J. Háva det., (NHMW); N Vietnam, Sapa, 16.5.1990, O. Sausa leg., 1 spec., J. Háva det., (NHMW); Indonesia, Siberut, am Licht, Muarasiberut, 15.2.1991, Schödl lgt., 1 spec., J. Háva det., (NHMW). A cosmopolitan species (Háva 2022), new locality data from Indonesia, Iran, Laos Nepal, Pakistan, Paraguay, the Philippines, Saudi Arabia, South Africa, Thailand, Vietnam.

Abbreviations:

- ASPC Adam Šíma, private collection, Praha, Czech Republic;
BMNH British Museum Natural History, London, England (K. Matsumoto);
JHAC Jiří Háva, Private Entomological Laboratory & Collection, Únětice u Prahy, Prague-West, CzechRepublic;
MCSN Museo Civico di Storia Naturale „G. Doria“, Genova, Italy;
NHMW Naturhistorisches Museum, Wien, Austria (M. Seidel);
NMED Naturkudemuseum, Erfurt, Germany (M. Hartmann);
TRPC Tomáš Růžička, private collection, Praha, Czech Republic.

Corrections:

Háva (2022) erroneously mentioned the genus *Pseudesarcus* Champion, 1913 with type species *Pseudesarcus villosus* Champion, 1913 (Panama) in family Mycetophagidae. Bousquet et al. (2018) mentioned the genus and species in family Tenebrionidae, subfamily Lagriinae as incertae sedis, from family Mycetophagidae transferred the genus by Lawrence & Newton (1995). Other corrections in the genera *Litargus* Erichson, 1846 and *Mycetophagus* Fabricius, 1792 published by Háva (2023).

ACKNOWLEDGEMENTS. We are very indebted to Miloslav Rakovič (Czech Republic) for revision of the English text.

REFERENCES

- BOUSQUET Y., THOMAS D. B., BOUCHARD P., SMITH A. D., AALBU R. L., JOHNSTON M. A. & STEINER JR. W. E. 2018: Catalogue of Tenebrionidae (Coleoptera) of North America. *ZooKeys* 728: 1-455.
- HÁVA J. 2022: World Catalogue of Mycetophagidae (Coleoptera: Tenebrionoidea). *Studies and Reports, Taxonomical Series* 18(2): 287-331.
- HÁVA J. 2023: A new *Litargus* species from Thailand (Coleoptera: Mycetophagidae). *Munis Entomology & Zoology* 18(2): 1130-1132.
- LAWRENCE J. F. & NEWTON A. F. 1995: Families and subfamilies of Coleoptera (with selected genera, notes, references and data on family-group names), pp. 779-1006 + 48 (index). In: PAKALUK J. & ŚLIPIŃSKI S. A. (eds.): *Biology, Phylogeny and Classification of Coleoptera. Papers Celebrating the 80th Birthday of Roy A. Crowson. Vol. 2.* Warszawa: Muzeum i Instytut Zoologii PAN.

Received: 15.4.2023

Accepted: 20.5.2023

Printed: 5.10.2023